7	е	C	ei	٧	ĺ	na	R	e	D	0	rl
	_	•	•	•		- 37		_	-	~	-

	upplier: <u>(A W</u>)	~~	Batch Dart I	No: /11/5 P/O:	0940	
Packing Slip: Invoice: Receipt: Discrepancies	YesNo YesNo Cash Cr	Z SI	elease Note A /aybill Attache nipment Comp C6 Inspection /ork Order	ed: Ye	es V No	
Part Number	Description	antity dered	Quantity Received	Quantity Returned	Quantity Short	Comments
MIZYBO	-200×4.00	12	U	0	12	. •
		<u> </u>				
Production/Ad Date Received/Cos Initial	12/8/48	Initials	s of receiver	(if shipment	OK) Level	

Purchase Order Receipt Listing

Tuesday, August 27, 2013 3:22:53 PM

All amounts are calculated in domestic currency.

All Line Item Types Receipt Dates from 8/27/2013 to 8/27/2013 All Vendors PO ID PO20940 Receipt Dates from 8/27/20 i All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Book Amt	\$414.71	\$83.14	\$404.43	\$245.80	\$588.77		121.4000 0.0000 0.0000
Δ.	** 1						
MRB Qty/ MRB Reject Qty	0	0	0 00	0 0	0	0	ä ë ä
Z				•			Quantit
Inspected Qty/ Rejected Qty (PO U/M)	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity:
Cost Per Unit/ Recv Value	\$17.28	\$414.71	\$15.55	\$10.69	\$24.53	\$588.77	T Total (
Recv Qty (PO U/M)	24.0000	24.4000	26.0000	23.0000	24,0000		
Recv Date/ Recv Emp	8/27/2013	DESJ02 8/27/2013 DES102	8/27/2013 DESJ02	8/27/2013 DESJ02	8/27/2013	DESJ02	
Required Date Required Qty	8/23/2013	24.0000	8/23/2013	8/23/2013	8/23/2013	24.0000	x**
2 H	, i						
PO U/M / Stock U/M							
7 22	Campi Steel	. J 4	000 f	X02. f	X03. f) x f	
Reference/ Description/ Cert Std	1.000	303 BAK I A I m126724 M303H0.500 303 HEY BAR 500	m126724 M304B1.000X1.000 304 bar 1.00 x 1.00	m126724 M6061T6B1.500X02. f 500 6061-T6 Bar 1.50 x f	2.50 m126724 M6061T6B2.500X03. f	6061-T6 Bar 2.50 x 3.50 m126724	
Project ID R	VC-CAM002 M303B	n H ≥ d	i ∺ ∠ ñ	# % %	(E ∑ ₹	1 3 6 E	
Line P Nbr/ Insp Req	r Name 2	0 × 2	4 N		νς.	No	
Purchase Order ID/ Curr Type	endorID\Vendor Name PO20940 2						

\$1,736.85

Total Receipt Value: Total Balance Due Quantity:



VENDU À / SOLD TO :

613-632-5200

613-632-1053

lerci! • Thank you

> 935, boul. du Hâvre Valleyfield, Québec J6S 5L1

Valleyfield

Fax: 450 377-5696 Tél.: 450 377-4248

> Tél.: 514 336-4248 Montréa

Fax: 514 336-4246

Tél.: 1 800 667-4248 Ontario

Fax : 1

866 456-4242

FACTURE

Z

284720

EXPÉDIEZ À / SHIP TO :

DART AEROSPACE LTD

CODE CLIENT / CUST. CODE DAER EXPÉDIER PAR / SHIP VIA HAWKESBURY, K6A 1K7 ONTARIO 1270 ABERDEEN STREET TERMES / TERMS NET 30 JOURS REMARQUES / REMARKS DATE INVOICE 27/08/13 PAGE Nº 100

VOTRE N° DE COMMANDE / YOUR P.O. N°

VEND/SALESM.

K6A 1K7 ONTARIO HAWKESBURY, DART AEROSPACE LTD

1270 ABERDEEN STREET

PD20940

TAL	SOUS-TOTAL	MPLETE AND CASHED. ALL	AYMENT IS MADE FULL, CON	MAINTHAIN UMBS IT PACIFIED BEH SUM À LA CHARGE DE L'ACKETEUR. LA GARANTE DE GUALITÉ DU MATÉRIE, EST LA MÉME QUE CELLE DU LOS I MATERIALS REMAIN THE PROPERTY OF "ACCES CAMPI NA". UNITE PROPERTY OF "ACCES CAMPI N	RÉCRITS DEMEURENT LA PROPRIÉTÉ DE «ACIER (À LA CHARGE DE L'ACHETEUR. LA GARANTIE DE)	MAIEMMUA LIVIES EL PACIONES IELS QUE DI AUSSÉ. LES RISQUES DE PERTE DU BUEN SONT À
						ONDITIONS
				UN Unit PI Foot PC Square foot POIDS TOTAL	CPI Cent (100) pieds	Units of mesure : CLB Hundred pounds
	***************************************	****		TEH! \$ \(\frac{1}{6143} \)	Nand drawley any and	
415, 44	ELB Sg	469, 950	80	11.1	r	
		Allenia tillera, e sa speciele		TO LET HIS	iù iù	1857
85, 19	200	3.500	104	n A	i i	
V te		Palar de vider generale de		DA ZAMATATATATATATATATATATATATATATATATATATA	TO A	
426. 00	S	17.750	24	Ormet and sprayers	Andrew State of the State of th	
					Φ. (1)	
0.00	50	27. 950	8	1 X 12' R/L STM 0564	F	
MONTANT AMOUNT	PAR PER *	PRIX	WEIGHT	SHIPPED DESCRIPTION	ORDERED	PRODUCT CODE
					COMMANDÉ	CODE DE PRODUIT

FARE PARAPREPARED BY VERIFIE PAR / VERIFIED BY

LIVRÉ PAR / DELIVERED BY

TH THIS CONTRACT WILL LEAD

T.P.S. G.S.T.

SOUS-TOTAL

TOTAL

T.V.Q. / T.V.H. G.S.T. / H.S.T.



Mercil • Thank you . SINCE

935, boul. du Hâvre Valleyfield, Québec J6S 5L1

Fax: 450 377-5696 Tél.: 450 377-4248 Valleyfield

Fax: 514 336-4246 Tél.: 514 336-4248 Montréa

Fax: 1 866 456-4242 Tél.: 1 800 667-4248 Ontario

EXPÉDIEZ À / SHIP TO :

HAWKESBURY, 1270 ABERDEEN STREET DART AEROSPACE LTD

K6A 1K7 ONTARIO

DATE DATE DE LIVRAISON DELIVERY DATE BON DE LIVRAISON PACKING SLIP INVOICE FACTURE Ş 27/08/13 219735 284720

TERR REMARQUES / REMARKS PAGE Nº 001

VOTRENO DE COMMANDE / YOUR P.O. NO.

VEND/SALESM.

CODE CLIENT / CUST. CODE | EXPÉDIER PAR / SHIP VIA

NET 30 JOURS

P020940

613-632-1053 613-632-5200 ONTARIO HAWKESBURY,

K6A 1K7

DART AEROSPACE LTD

VENDU À / SOLD TO :

1270 ABERDEEN STREET

_		· · · · · · · · · · · · · · · · · · ·			
* United de mesure : CLB Cent (100) fures	CSS 1		\		PRODUCT CODE
livres CPI Cent (100) pieds	N 61	24.34	22	i b	ORDERED
CPI Cent (100) pleds UN Unité PI Feets	26	24.3400	24		SHIPPED SHIPPED
DC Ped care	S.S. 304 SQUARE 1 2 X 13'	HEXAGONE SS-303 1/2" 2 X 12'2" HEAT A1304010266	CARRE SS-303 1" 2 X 12 HEAT: 30060	1 X 12' R/L STM A564	DESCRIPTION
POIDS TOTAL	:				
	88.40	24.34	24.00	0.00	POIDS WEIGHT
	469.950	3.500	17.750	27.950	PRIX PRICE
	СТВ				PAR PER *
	415.44	85.19	426.00	0.00	MONTANT AMOUNT

Nº ENR. TPS / GST REG. Nº R 135 534 717 • Nº ENR. TVQ / QST REG. Nº 1 015 668 543

SIGNATURE DU CLIENT / CUSTOMER'S SIGNATURE

DATE

SCRIPTO-197

T.P.S. G.S.T.

SOUS-TOTAL SUB TOTAL

T.V.Q. / T.V.H. G.S.T. / H.S.T.

PHÉPARÉ PAR/PREPARED BY VÉRIFIÉ PAR / VERIFIED BY

LIVRÉ PAR / DELIVERED BY 12345

×

CONDITIONS

CONDITIONS:



1993 DEPUIS - SINCE Mercil • Thank you

935, boul. du Hâvre Valleyfield, Québec J6S 5L1

Valleyfield

Tél.: 514 336-4248 Montréal

Fax: 514 336-4246

Ontario

Fax: 450 377-5696 Tél.: 450 377-4248

Fax : 1 866 456-4242 Tél.: 1 800 667-4248

EXPEDIEZ A / SHIP TO :

K6A 1K7 ONTARIO HAWKESBURY, 1270 ABERDEEN STREET DART AEROSPACE LTD

VOTRE N° DE COMMANDE/YOUR PO. N°

VEND/SALESM.

CODE CLIENT / CUST. CODE | EXPÉDIEN PAR / SHIP VIA

TERMES / TERMS NET 30 JOURS

REMARQUES / REMARKS

PAGEN

P020940

613-632-1053 613-632-5200 K6A 1K7 ONTARIO 1270 ABERDEEN STREET

DART AEROSPACE LTD

VENDU A / SOLD TO:

HAWKESBURY,

DELIVERY DATE DATE DE LIVRAISON BON DE LIVRAISON PACKING SLIP DATE FACTURE INVOICE 2 곢 27/08/13 27/08/13 219735 284720

* Unitrés de		• 1		r AL		266	
# Unités de mesure : CIB Cent (100) Avies		44		FAL 112212		CODE DE PRODUIT PRODUCT CODE	
O) Review Cont (100) plads			22	S. G		COMMANDÉ Ordered	
IN Unit D. Park D. Platoni	4.		22	N.		EXPÉDIÉ SHIPPED	
		12 X 12 HEAT :HK297-020	FLAT ALU 2 1/2" X 3 1/2"	AL. FLAT 1 1/2 X 2 1/2 1 X 12', 1 X 11' HEAT: XTR083241	HEAT: (THE STATE)	DESCRIPTION	
			1			N	MET 30 000KS
			24.00	103.50		POIDS	
			25.200	243.950	Trilgs	PRINC	2R
				CLB	7.67	PAR *	
			604.80	252.49	IMONIA	MONTANT	0
Ŀ	4						002

PRÉPARÉ PAR/PREPARED BY | VÉRIFIÉ PAR / VERIFIED BY

LVRÉPAR/DELVERED BY 12345

Nº ENR. TPS / GST REG. Nº R 135 534 717 • Nº ENR. TVQ / QST REG. Nº 1 015 668 543

CONDITIONS:

TOTAL WEIGHT 264

CONDITIONS:

T.P.S. G.S.T.

0.00

SOUS-TOTAL SUB TOTAL

1783.92

T.V.Q. / T.V.H. G.S.T. / H.S.T.

231.90

Ι.	3.4.4	14
Ιi	10 10 10 10 10 10	-
		2
	1 1 1 1 1 1 1	0
	The state of the s	$\overline{}$
П	A 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-
	m 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
П		-
	The state of the state of	
	The same of the same	
	9 - 12 - 1	
П	and the state of	
	State of the state of the	-
١.	10 SAM V	
4	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100
1	4 . 14 4 . 19	
ı	171 14 4 150	~
ı	100 300	2
ì	Town Tree Line	111
1	17 S. N	0
١	1 3 3	0
J	. m. 1- 1- 15 - 15 1	2
1	100 100	
1	The state of the s	
ı	1000	
ĺ	art de de	0
ı	1. " mary 4	2
ı	a to want a train	240
ı	and the second second	2
1	1 1 1 1 1 1 1 1 1 1	-
ı		-
t	1 . The state of t	õ
ı	The street of the second	-
Į	1	\Rightarrow
Į.	- 1. 14. A. S. 17. 15.	2
ı		0
Ļ	1. 17	
ı	Promise market 5	
ı	1 12 19 19 19 19 19 19 19 19 19 19 19 19 19	200
L		**
L	19 30	-
L		m
ı		2
ŀ	16 1 1 1 1 9 9 WY	FF
L	A	₩.
Г		
L	41 1 24 24 25 1	N
r	7	
Ľ	2.0	ŏ
Г	Aller State of State of	õ
ì.	5	₩.
1	war and the holy of	$\overline{}$
Ŀ	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8
Г	19 m. 1 160	=
ľ	The Park to	=
ľ	1	=
	A 45 St 45	
_		\circ
	9	2
	The Later of	
	A THE PROPERTY OF	

SIGNATURE DU CLIENT / CUSTOMER'S SIGNATURE

DATE

2015.82



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577

Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO20940

Purchase Order Date 8/15/2013 PO Print Date 8/15/2013

Page Number 1 of 3

Order From:

CAMPI STEEL 935 BOUL. DU HAVRE VALLEYFIELD, QC J6S 5L1 CA

VC-CAM002

DART AEROSPACE LTD Ship To: 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 **CANADA**



Contact Name

Vendor Phone

800 667 4248

Buyer **Customer POID** Chantal Lavoie

Customer Tax #

10127-2607

Ship To Contact

Ship To Phone

Terms Currency Net 30 CAD

Ship Via:

Yours ppd

FOB

Destination-Collect

Ship Acct:

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ CD Taxable Promise Date	Req Qty/ Unit of Measure	¥ .	PO Unit Price	Extended Price
1	M174B0.250X4.000	17-4 SS Bar .250 X 4.00	8/23/2013	12.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	\$27.95	\$335.40
-			Yes	f		4	
			8/23/2013				
	MATERIAL: 17-4 PH SS BA	AR PER AMS 5604/5643					
	GRAIN MUST BE ALONG	LENGTH OF BAR					
	MIN. YIELD TENSILE STR						
	MIN. ULTIMATE STRENG	TH = 150 KSI					
	141						

2 M303B1.000X1.000

303 BAR 1" X 1"

8/23/2013

8/23/2013

Yes

\$17.75

\$426.00

\$335.40

MATERIAL: AISI 303 SS BAR AS PER ASTM A582

NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total:

Line Total:

\$426.00

PO Instructions: SOUMISSION #327759

Note:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO20940

Purchase Order Date 8/15/2013 PO Print Date 8/15/2013

Page Number 2 of 3

Order From:

CAMPI STEEL 935 BOUL, DU HAVRE VALLEYFIELD, QC J6S 5L1 CA

VC-CAM002

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

800 667 4248

Buver

Chantal Lavoie

Yours ppd

Customer POID Customer Tax # 10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship Via: Ship Acct:

M303H0.500

303 HEX BAR .500

8/23/2013

Yes 8/23/2013

24.00 f // 13/8/27

\$3.50

\$84.00

MATERIAL: AISI 303 SS HEX BAR AS PER ASTM A582

NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total:

\$84.00

M304B1.000X1.000

304 bar 1.00 x 1.00

8/23/2013

Yes 8/23/2013

\$15.98

\$383.48

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 PLATE

AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE

Line Total:

\$383.48

M6061T6B1.500X02.500

6061-T6 Bar 1.50 x 2.50

8/23/2013

20.00

\$10.98

Yes 8/23/2013

\$219.56

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQA-225/8 OR AMS 4117/4128

4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-220/8 OR AMS 4160 OR ASTM B211 OR ASTM B221

Line Total:

\$219.56

PO Instructions: SOUMISSION #327759

Note:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO20940

Purchase Order Date 8/15/2013 PO Print Date 8/15/2013

Page Number 3 of 3

Order From:

CAMPI STEEL 935 BOUL. DU HAVRE VALLEYFIELD, QC J6S 5L1 CA

VC-CAM002

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

800 667 4248

Buyer

Chantal Lavoie

Yours ppd

Customer POID Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

M6061T6B2.500X03.500

6061-T6 Bar 2.50 x 3.50

8/23/2013

Yes

\$25,20

\$604.80

8/23/2013

MATERIAL SPEC'S SAME AS ABOVE

Line Total:

\$604.80

PO Total:

\$2,053.24

PO Instructions: SOUMISSION #327759

Change Nbr:

Note: Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.

NO

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required YES

PST# 6122-5207

Change Date:

8/15/2013

Pg

W. Tu

25

2

Doc No. 159820

11Jun13 by vslssup

3P 626 3P 197

Ę

1803 2125

8 8

WL 1028013 No welding repaired

WL 11028014 Shatien irratmentat fubit . 1-2 hour . water guenched

6122 6122

99

WI.11029016 hisera and micro structure : ok WL11028015 Grain size test by F.112 : fine (5-8)

ountry of melted & Manufactured: Taiwan

nter grammar corrosion test by ASIM A 262 Practice E : OK

3P 197

1-1/2" 1-1/2" I-W2"

500

Customer: COPCON PO#:VIM-620491 SO#:PQ2209

Item: SB030100 Bundle: WL11028012 Heat#: 3P060

Steel Grade **E** 33.05 Š WALSIN LIHWA CORPORATION YENSHUI PLANT ä TA CHEN STAINLESS PIPE CO.LTD. Juantitri Pcs) Commedity REBLES MILL TEST/INSPECTION CERTIFICATE Weight (LBS) SO-9001JNO-14001 CERTIFIED 195 2127 Stainless Steel Bar Candition 8 8

W1.11020012 Material is free from mercury contamination WL 110280 11 henyth: 414 Somm. Tuberraces 484 Remark Order No. Date 05/50/1102 383283 Tel: (06:65200) Pax: (06:653076 PONO. 11 2011060277 L32053

YENSHUI CHEN, TAINANHSIEN, TAINAN ROLL

3.10. SEL JOU LIAU. CHIN SHUEFLI

THE REAL PROPERTY.

The state of the s

ST-Smooth Turned Conterless Grinding CO-Cold Drawn ondition : Solution Treated IR-Hot Rolled Kind ¥. Tes 0.053MAX 20.00 金家 () () () () () 0.053 0.053 PL-Peeling A-Anneako P-Polished 0.275 0.23 306 0.306 0.27 0.366 MAX Ē 35 1.943 XYK 1.943 1.99 1.943 1.983 3.00 Z. 0.027 MAX 0000 AHMAHAMAMS SHOUT Type I According to ASIM ASSI-18th cond. A. ASSE 20th cond. (A)S 764B coud.A EN 10204 3.1.B Bruice No. WI. 11028 7 Chemical Composition (WT%) 15331 0.331 0.150 0.339 0.339 0.134 MIN 'n MANAGER OF QUALITY ASSURANCE DEPARTMENTS 8.548 17.487 8548 8.537 8537 10,00 8.00 Z 17.487 19,00 17.23 17 17,00 L/C No. Ç 0.154 0.139 0.139 1.0 0.1S MAX 0.138 0.75 Mo 0.453 0,451 0.451 0.451 0.453 0.479 MAX Ë 5 27.0 0,023 2200 0.022 MAX 0.031 0.02 0.10 Z S SR : Square Round S:Square H:Heragonal R : Noted Shape : E: Ellipse FB : Rectangular MAX Z M. L. Ohiang ardness Tensile 233 15 **H** H 3 E Š ĸ E Mechanical Properties Strength Strength (KSI) 30 3 200 S Ę \$ 1 18.31 material specification e like the requirement of the above satisfactory results in accordance manufactured and tested with described herein has been Here we certify that the material 7 35.7 73.1 72 75.7 E rongar (io 3 * 忠 \$ 3 Reductio ofArea 199 * * 늉 23 13 2

CIER CAMPORNS6981

AUVIUSS STNOIS Schiffors que le libenment reproduit ici est du rapport fourni par le el ou les donnees resul

> dorah BL VIM-407071-00

下のなっつい Certificate of Mult Test Nesults

(1:0:

HANKE OF

WANT Fy V

BIV: DEFEETOL

40- 40-ASIH A582-05 Cond

Acc. to ASTN AMS SHIP type 1960-5-76% chemistry only

4. Bo welding repaired

3. The Above Testing Results Relate Unly to The Items Tested.

No. of Taiwan Atomic Energy Committee:136

. We certify that the material is free from and radiation contamination. Qualification

of the above material specification. in accordance with requirement

BOCN 0, 162673

Indexed 11Juli3 by 45881 pg.

MTR#:WLRBA1304010266.

Customer: COPCON PO#:VIM621041

Item: HB030032 Bundle: WL13016005 Heat#; 4A290

INSPECTION

3:KCFFICATION:

R H

STIEST TO BENUE MOLLICORD ANALIES 0

Mechanical Property THE NEW PROPERTY OF STREET 28 EI 15-0 FO 9-99, 384 160-70-9-99 さむさき **₩** 72 H 8888 2013/03/29 H #L13020008 BUNDE NO L13016004

Quality Assurance Responsible Personne

COMMOD: Tr: Stainless Steel Cold Drawn Managonal Bar [8] CERTIFICATE NO: (M304010266 CUSTOME: TA CHEN STATULESS PIPE CO. Hat 10 MI N 12 12 B 2 3 8 6 뀲 248 50 50 50 50 50 50 50 50 2100 Ċ XICO 120 34 54 54 54 54 54 54 56

×.00

X.000

F.000

M 18

×100 1700

× 6

8 E

X10000

N IN IN IN

Ø

v.

Z.

Ł,

Chemical

Composition (vt %)

5

8

1900

5

2

E E E E

ខេត្ត

28 28 28 28

ひじじひ

សសសស

2222

经货货货

8 8 8 8 8 B

经线线线

319

1369/0x1

R-0:30 BEATON HISEET

E-Resied/Stan Pass C:As Castas SUPPLY CONDITION ..Laboratory accredited by: 189/IKC 17925; 2405

K:Cut Edg

Steelanding and same-finished approval:

mfacture system approvaled:BNV Partificate NO KNN-3588

Cartilication No. MD50/3863/9903/I

FED: 97/23/EC Centificate ND. 91202 2007/0-02-0016

(309001; 2000 and 302000 Merkblatt WO Cartificate

carbide precipitation as per ASTM 1252 A S E. Microstructure free from continuous grain boundary

l. We hereby certify that material described herein has

manufactured and tested with satisfactory results

Melted manufactured : Taiwan

Hacro & micro structure:good., Grain size:Acc.to ASSN E112 Solution annealed treatment : Acc. to ASM A64-11. This inspection is issued acc, to En 19294 3.1

Improved machining.

EST METHOD OMSAS 18001:2007 Cartificate ND. 01113060443 105MMS Certificate NO.CB07-19989-04 HVAINMENT management system approval by TW 15014001: 2004 Cartificate NO. 011048228145

PLifurned or Peeled

CHERICAL-ASIN ELEGS, E415, E1086, E1019

que le tiocument reproduit sei est

1

CERTIFIED TEST REPORT

CUSTOMER PO NUMBE N21985-8	re: custo V836	MER PART NUMBER: 861	1.500"X 2.500"RE	.)	
KAISER ORDER NUMB 9037907		SHIP DATE: 05/18/2009	C6800 206	8061	T6511
WEIGHT SHIPPED:	QUANTITY:	BA NUMBER:	DIANUDAF/THICKS:	WOTH:	LENGTH:
1058.000 LB	20.000 PCS	952499		427	12.000 FT
SH4> TO:		10	3010 to 10/20/2		
		V			

Actual Physical Properties

REFERENCE	DASH	SAMPLE	uts (KSI)	YTS (KSI)	tElong in 2	HARD	TESS.	CONDUCT.	HEND
XTR083241	0001	1	45.8	42.3	12.7	RE	96	N/A	N/A
XTR083241	,	2	54.9	50.3	11.8	RE	96	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fo	Cu	Ma	Mg	Cr	Zn		Ti	Pb	Bi	2r	Ea.	Tot	
Maximum Minimum		0.7	0.40 0.15	0.15		0-35 0.04	0.25	b	. 15	NA NA	NA NA	NA NA	0.05	0.15	•

Applicable Requirements:

ASTM-B221-06-STENCILED ASME-SB221 1998 SECT II AMS-QQ-A-200/8 UNS#96061 (T6511 also conforms to T6-not applicable to other tempers)

Miscellaneous Notes

MANUFACTURED IN CANADA (LONDON, ON) MELTED IN CANADA

R 287300-301

CERTIFICATION

Raiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Tom G. Small, Jr., QA Manager

Plant Serial: 00248651

Kaiser Order Number: 9037907

Line Item: :008



Abnahmeprüfzeugnis/Nill Test Certficate/Certif. de Qualidade

EN 10204:2004 / 3.1

No.: / Nr.: /Nr.: 0000089007

Unsere Innere Verweisung /Our Int. Ref/ N/ ref int

Datum / Date / Data

Böllinghaus Portugal Aços Especials, SA DIN EN ISO 9001:2008 TÜV CERT No. 01 100 030458

5600018745 000110

26,06,2013

Normen / Standards / Normas

TP 304/304L acc. to ASTM A479/A479M-13, A276-10 specifications acc. to latest rev.: SAE-AMS-QQ-S 763B, AMS5639J, AMS5647J, ASME SA479/SA479M, ASME SA278, ASTM A182/A182M-13-F304/304L, A193/A183M-12b CL.1Gr.B8; ASTM A314-08, ASTM A320/A320M-11a, DOD-F24669/6, ASME SA182/SA182M, ASME SA 193/SA193M, ASME SA320 CL 1Gr. BB, ASTM A262-10 Practise A&E, grain size as per ASTM E112-96e1, NACE MR 0175, ASTM A484/A484M-13,

Ku	nde / C	Susta	omer	/ Clie	nte			E	ndegültig	jer Kun	de / Fina	Custo	mer / Clien	e Fina	J·
Bestell Nr/Order Nr.	/ Enc. Nr		2883	E0.			Res	steli Nr./ O	rder Nr / F	nc Nr		88350	າກຂ		
				7.	-0.55 3					1					
Pruigege		17 PT	oanć	i / Pro	auto	}	G	ewicht/				. Bu	inde / Bund	ie / Ata	dos
AISI 304/304L S	3Q 1") .			9				2,09	7 lb				01	
Werkstoff-Nr. Material-no. Qualidade	1.4	307			We	rkstoff-l		ezeichnu CrNi 18		erial sta	ndard gi	ade / N	lorma do m	aterial	
Stainless steel squ US DFAR 252,225					n anneale	i, straigh	tened,	scriptio pickled.		rição 3/69	1/2			•	
Schmetzen Nr. Cast nr. / Fusão nr.				Che	mische A	nalyse i	n%/C	hemical	composi	tion in	% / Analis	se quin	nica em %		
776145	C:	0.4	019	Si:	0.350	Mn:	1.860	P:	0.036	S:	0:023	Cr:	18.140	Ní:	8.180
EAF	Mo:	0.3	260	Co:	0.130	Cu:	0.300	N:	0:080	Tis	0.006	W:	-	V:	
Proben Mr. Test no. Amostra no.			Keri li	TM E: bschlags mpact Te Resilienc Charpy	rbeit st ia	Strecks Vield Tensão Rp 0	point limite	1%	prenze point extensão 1,0%	Zugfe: Tensile Tensão	IM A37(nigkeit strength le rotura m [Ksi]	E Ak	Tehnung longation ingamento 150-50mm)	Redu	nschnürung uction of area ef. Estrição ASO-SOmm)
3032915.01.01		+		[J] 230.0		41.			1.7	./ [%] ./ 64.8		[%] 78.2			
		+				: 4:4									
Visuelle Kontrolie Visual irispection Inspecção visual		⊠ Ok		A: Harte Hardnes Dureza	STM E37	0 148 [HB]		ASTM AS Kerrosionabi IC T	ständigkeit est	actice E Ok	Heat tr Tratom	Detiandi eatment ento ten			
ASTM A4 Maßkontrotte Dimensional inspectio Inspeccão dimensioni	a !	⊠ Ok		E lorngrös Grain siz anho de	æ	7		Quality Co	ntrol Repre	sentativa		Annealed Quenched 1900 °F (water quenched)			
Verwechslungsprüfun 'Fest of identify Teste de identificação		IXI Ok	j.	Me Material	pische Unie rographic i iree from m delects.		-		avid Rei Ilingha		rtugal	- Aç	os Espec	iais,	SA

Bemerkungen / Remarks / Observações

Micrographic test: approved.

Material is free of radiation contamination.

No weld repair done.

Material is free of mercury.

Hiermit bestätigen wir, dass das Material der öben genannten

Spezifikation entspricht.

We confirm that this material meets the specification according the mentioned standards. Confirmamos que este material respeita as especificações

de acordo com as normas referidas

ACIER CAMPI INC.

ALUMINUM FLAT BAR 6061-T6511 2.50" x 3.50" X 144.0000" PART NO.



Nous certifions que le document reproduit ici est une copie conforme du rapport foumi par le producteur du materiel ou les données resultant de BL VIM-407070-001

yse faite par un laboratoire qualifie.

Pg 1/1

77.375

111

FABRICATED PRODUCTS



CERTIFIED TEST REPORT

PRODUCT DESCRIPTION: CUSTOMER PART NUMBER: CUSTOMER PO NUMBER: 2.500 X 3.500 SC RECT BAR 020484-2 VIM-620984-3 SHIP DATE: KAISER LOT NUMBER: ALLOY: KAISER ORDER NUMBER: LINE ITEM 06/28/2013 HK297-020 003 646333 WIDTH: with: DIAM/DAF/THKNS: B/L NUMBER: QUANTITY: WEIGHT SHIPPED: Pg 1/1 606561 8.000 PCS 988,000 LB SOLD TO: SHIP TO: 5,3/09/04

Actual Physical Properties

RÉFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARI	NESS	CONDUCT,	BEND	
нк297-020		1	52.8	49.2	17.5	RE	97	N/A	N/A	10

Chemical Composition (wt%), Aluminum Remainder

•					•									1 4
LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	B		Ea	Tot	
Maximum Minimum H43396	0.80 0.40 .73	0.7C 0.3C .40	0.40 0.15 .29	0.15 0.00 .09	1.20 0.80 .92	0.35 0.04 .09	0.25 0.00 .09	0.15 0.00 .C2	NA NA .C1	N/ N/ C	NA NA	0.05 0.00 .01	o oo estilesof	13

Applicable Requirements:

ASTM-3221-13 STENCILED ASME-SB221 1998 SECT II AMS-QQ-A-200/8 97 (R07) (T6511 also conforms to T6-not applicable to other tempers)

Miscellaneous Notes

MANUFACTURED IN USA (SHERMAN, TX) MELTED IN USA MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS, NEITHER MERCURY NOR ANY OF ITS COMPOUNDS ARE UTILIZED BY KAISER ALIMINUM IN THE MANUFACTURE OF THIS MATERIAL.

CERTIFICATION

hereby certifies that metal shipped under this order has been Raiser Aluminum Fabricated Froducts, LLC inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Fargo, Quality & Technology Manager

Kaiser Order Number: 646333

Line Item: CO3

Page 1 of 1